

“Light is not what we see.
It is what we feel before we understand.”



Light, as an atmosphere, never a product.

We design luminaires for spaces that breathe.
Not louder, not brighter, more intentional.

Because every line of light shapes behavior: where we
pause, how we move, what we feel safe to say.

Our approach is simple: architectural form and
uncompromising performance.

Details disappear. Comfort remains.



Designed for architects. Tuned for humans.


How light guides the mind

Light is a non-verbal language. It communicates pace, intimacy, hierarchy, and calm.

Soft vertical light reduces perceived contrast and visual fatigue, helping people stay longer.

Layered light increases spatial clarity and emotional comfort especially in hospitality and high-end residential.

Glare-free sources improve face-to-face interaction by keeping pupils relaxed and eyes open.



*Good lighting isn't noticed.
It's felt in posture, mood, and attention*

Where people gather,
light decides the distance.

Humans read spaces through brightness gradients.

Brighter zones attract movement and activity.

Lower luminance invites conversation, privacy, and slower time.

Warm tones enhance skin appearance and emotional warmth;
neutral whites sharpen focus and task accuracy.

Design principle: Create three layers in every project:


- Ambient (comfort)
- Accent (meaning)
- Task (clarity)

Luxury is control.

Luxury lighting avoids excess. It uses precision optics, clean cut-offs, and calibrated brightness so materials, art, and architecture become the hero.

Our philosophy:

- Fewer fixtures, placed better
- Lower wattage, higher optical efficiency
- Quiet housings, flawless finishes
- No glare. No noise. No compromise.



What designers must specify.

CCT (Kelvin): sets emotional tone (warm for comfort, neutral for clarity).

CRI: color truthfulness vital for finishes, fabrics, skin, and food presentation.


SDCM: consistency ensures the ceiling reads as one harmonious light.

UGR / Glare control: protects comfort and premium perception.


Beam angle: determines drama vs softness.

Luxury benchmark:

High color fidelity + tight binning + glare control = premium outcome.



Kelvin is emotion.



2200K–2700K: intimate, residential warmth, lounges, fine dining

3000K: architectural classic, premium retail, corridors, art walls

3500K–4000K: offices, studios, clinical clarity, modern retail

Tip:

Use one primary CCT across a space;

Change intensity and beam
to create variety—not mixed whites.



When colors matter, trust matters.




>95 CRI



>90 CRI



>80 CRI



High CRI is not a luxury—it is honesty. Paint undertones, stone veining, wood warmth and skin tone can shift dramatically under poor-spectrum LEDs.

Specifier note:

Choose high CRI for residential, hospitality, retail, galleries.

Pair with consistent binning to avoid patchy ceilings and mismatched beams.

True color is silent confidence.

Glare is not brightness.
It's discomfort.

A space can be bright and still luxurious—if glare is controlled.

Luxury lighting protects the eye with:

- Deep recess optics
- Black anti-glare cones / baffles
- Precise cut-off angles
- Thoughtful placement outside direct sight lines

Rule:

If a fixture is remembered for its brightness, it was probably uncomfortable.

Beam is the brushstroke.



- Narrow beams: drama, sculpture, textures, feature tables
- Medium beams: balanced accent, retail displays
- Wide beams: soft ambience, smooth surfaces, general comfort
- Wallwash: makes spaces feel larger and more premium by lifting vertical brightness

Design trick:

Vertical illumination (walls) often increases perceived brightness more than ceiling floods—using less power.

Dimming is the fourth dimension.

Light should follow life: morning energy, evening softness, late-night calm.

Specify controls to deliver:

- Scene setting (Welcome / Dinner / Focus / Night)
- Smooth dimming without flicker
- Compatibility with modern drivers and control protocols

Premium behavior:

Customers remember how a space feels at night. Ensure low-level dimming is stable and warm.

Home is not a showroom. It is a rhythm.

Ambient for softness

Task for precision (kitchen, vanity, study)

Accent for personality (art, niches, textures)

Placement guidance:

Use downlights to create pools, not uniform grids. Let shadows exist—they make materials look richer.



Retail and hospitality — focus + emotion.

- Retail sells clarity; hospitality sells memory.
- Retail: crisp hierarchy—product first, circulation second
- Hospitality: warm vertical light, low glare, intimate scenes


Outcome:

The right accent ratio makes premium products look premium—without adding fixtures.

Engineered to disappear.
Designed to perform.

Every luminaire in this collection is built around three promises:

- Optical discipline — precise beams, controlled cut-off
- Visual comfort — minimal glare, calm ceilings
- Long-term stability — reliable drivers, consistent color, durable finished



Because the best lighting is the one you trust—and forget.

CONTENTS


25MM, 10MM & 5MM BLACK & WHITE MAGETIC

21-45



DORADO SERIES

46-49



COB'S


50-95



CONTENTS

WALL WAHSER

96-108



LASERS

109-117



COB & SMD SURFACE DOWNLIGHT

118-130



SMD CONCEAL DOWNLIGHT

131-135



INDOOR COB SERIES

136-146



CONTENTS

COMMERCIAL COB SERIES

147-153



MINI COB'S SERIES

154 - 157



TRACK LIGHT

158-162



"The best rooms have something to say about the people who live in them and lighting is the storyteller."

Smart Control System

Color Changing & Dimmable

Control lighting through:

- RF Remote
- Mobile App (Smart Life + RF)



Gateway Support


A gateway is recommended for mobile app operation when more than 30 COB devices are connected.



Touch Panel Scene Mode

Wireless scene control with no additional wiring required. Can be installed remotely.


3 Scene & 4 Light Groups Automation -
eg- Good Morning Scene, Reading Scene, Cozy Scene, Good Night Scene, Wallwasher Group Spot Light Group, Task Light Group



Switch Panel Scene Mode

Wireless scene control with no additional wiring required. Can be installed remotely.

4 Scene Automation -
eg- Good Morning Scene, Reading Scene, Cozy Scene, Good Night Scene





Magnetic Range





Magnetic Range



Common Issues



- ⊖ Hard fixture insertion
- ⚙️ Poor face fitting
- ⊘ Stuck fixture movement
- 📶 Weak RF response

Why it's happen




Real reason

Low-gauge, poorly finished channels cause weak locking, uneven contact, and high friction—leading to unreliable performance and frequent maintenance.



Aronix Track



2mm Heavy-Gauge Build:



1.2 kg/m Solid Aluminium:



Future-Ready 4-Wire Channel:



Smooth Fixture Movement:

Magnetic Range

Common Issues




- ⊕ Hard fixture insertion
- ⊖ Poor face fitting
- ⊘ Stuck fixture movement
- ⊙ Weak RF response

Why it's happen

Low-gauge, poorly finished channels cause weak locking, uneven contact, and high friction, leading to unreliable performance and frequent maintenance.



Aronix Track




2mm Heavy Gauge Build



1.2 kg/m Solid Aluminium



Future-Ready 4-Wire Channel



Smooth Fixture Movement

Magnetic Range


Single Colour ,CCT Tunable BLUETOOTH, Dali DT6 & DT8



2mm Heavy-Gauge
1.2 kg/m Solid Aluminium



Prismatic diffuser with
Deep Recessed Linears



Deep Recessed Antiglare
Lasers & Wallwashers

True Colour



CRI 80+/90+

CCT/DIM



Tunable

Dali




DT6 / DT8

Magnetic Range



ARC for Curve Magnetic Design




MAGNETIC SERIES 48V 25MM

Single Colour ,CCT Tunable BLUETOOTH, Dali DT6 & DT8

Magnetic Range

1/2/3 MTR TRACK

2MM THICKNESS EXTRA HEAVY



CONCEALED

1MTR - 1000 X 25mm
2MTR - 2000 X 25mm
2MTR - 3000 X 25mm

1/2/3 MTR TRACK


2MM THICKNESS EXTRA HEAVY



SURFACE


1MTR - 1000 X 25mm
2MTR - 2000 X 25mm
2MTR - 3000 X 25mm

END CAP



15W/30W/45W LINEAR PROFILE


PRISMATIC
DIFFUSER
DEEP RECESSED



15W - 300 X 22 X 25mm
30W - 600 X 22 X 25mm
45W - 900 X 22 X 25mm


6W/ 12W/ 18W LASER

DEEP RECESSED
ANTI GLARE




6W - 112 X 22 X 25mm
12W - 220 X 22 X 25mm
18W - 350 X 22 X 25mm

6W/12W WALLWASHER



6W - 112 X 22 X 100mm
12W - 220 X 22 X 100mm

7W/12W/18W TRACK LIGHT



7W - 35 X 80mm
12W - 45 X 100mm
18W - 55 X 111mm

MAGNETIC TRACK



ARC

RADIUS - 300MM


MAGNETIC SERIES 48V 25MM

Magnetic Range

STRAIGHT JOINTER



2 WAY JOINTER



POWER SUPPLY CODE



L- JOINTER



100W/200W POWER
SUPPLY



True Colour



CRI 80+/90+

CCT/DIM



Tunable



Dali



DT6 / DT8

White Magnetic Range

25MM



True Colour



CRI 80+/90+

CCT/DIM



Tunable

Dali



DT6 / DT8


White Magnetic Series 48V 25MM

Single Colour ,CCT Tunable BLUETOOTH, Dali DT6 & DT8

Magnetic Range

1/2/3 MTR TRACK

2MM THICKNESS EXTRA
HEAVY




CONCEALED

1MTR - 1000 X 25mm
2MTR - 2000 X 25mm
2MTR - 3000 X 25mm

1/2/3 MTR TRACK


2MM THICKNESS EXTRA
HEAVY



SURFACE

1MTR - 1000 X 25mm
2MTR - 2000 X 25mm
2MTR - 3000 X 25mm

End Cap




15/30/45W LINEAR PROFILE




15W - 300 X 22 X 25mm
30W - 600 X 22 X 25mm
45W - 900 X 22 X 25mm

6W/12W/18W LASER



6W - 112 X 22 X 25mm
12W - 220 X 22 X 25mm
18W - 350 X 22 X 25mm

6W/12W WALLWASHER



6W - 112 X 22 X 100mm
12W - 220 X 22 X 100mm

7W/12W/18W TRACK LIGHT



7W - 35 X 80mm
12W - 45 X 100mm
18W - 55 X 111mm

MAGNETIC TRACK




RADIUS - 300MM

White Magnetic Series 48V 25MM


Single Colour ,CCT Tunable BLUETOOTH, Dali DT6 & DT8

Magnetic Range

STRAIGHT JOINTER




2 WAY JOINTER




POWER SUPPLY CODE



L- JOINTER



100W/200W POWER
SUPPLY



True Colour

CCT/DIM

Dali



CRI 80+/90+



Tunable



DT6 / DT8



Round Magnetic Range

25MM



Available Diameter
600MM / 900MM / 1200MM

True Colour

CCT/DIM

Dali



CRI 80+/90+



Tunable



DT6 / DT8

Round Magnetic Series 48V 25MM

Magnetic Range


MAGNETIC TRACK



CONCEALED

DIA
600MM 900MM 1200MM

MAGNETIC TRACK



SURFACE

DIA
600MM 900MM 1200MM

MAGNETIC TRACK



ARC


RADIUS - 300MM

10W PROFILE



10W- 300MM

6W LASER



12W TRACK LIGHT



200W MAGNETIC DRIVER




2 WAY CONNECTOR



Magnetic Range

10MM




MAGNETIC SERIES 48V 10MM

Magnetic Range

1/2/3 MTR TRACK

2MM THICKNESS EXTRA HEAVY



CONCEALED

1MTR - 1000 X 10mm
2MTR - 2000 X 10mm
2MTR - 3000 X 10mm

1/2/3 MTR TRACK


2MM THICKNESS EXTRA HEAVY



SURFACE


1MTR - 1000 X 10mm
2MTR - 2000 X 10mm
2MTR - 3000 X 10mm

END CAP



10W/20W LINEAR PROFILE


PRISMATIC
DIFFUSER
DEEP RECESSED



10W - 300 X 8 X 10mm
20W - 600 X 8 X 10mm

6W/12W LASER

DEEP RECESSED
ANTI GLARE



6W - 112 X 8 X 10mm
12W - 220 X 8 X 10mm

6W/12W WALLWASHER



6W - 112 X 8 X 100mm
12W - 220 X 8 X 100mm

12W TRACK LIGHT



12W - 45 X 115mm

MAGNETIC SERIES 48V 10MM

Magnetic Range

STRAIGHT JOINTER




2 WAY JOINTER



POWER SUPPLY CODE



L- JOINTER



100W/200W POWER
SUPPLY




100W/200W ROUND DRIVER

INBUILD



White Magnetic Range

10MM




WHITE MAGNETIC SERIES 48V 10MM

Single Colour ,CCT Tunable BLUETOOTH, Dali DT6 & DT8

1/2/3 MTR TRACK

2MM THICKNESS EXTRA HEAVY




CONCEALED

1MTR - 1000 X 10mm
2MTR - 2000 X 10mm
2MTR - 3000 X 10mm

1/2/3 MTR TRACK


2MM THICKNESS EXTRA HEAVY



SURFACE


1MTR - 1000 X 10mm
2MTR - 2000 X 10mm
2MTR - 3000 X 10mm

END CAP



10W/20W LINEAR PROFILE


PRISMATIC
DIFFUSER
DEEP RECESSED



10W - 300 X 8 X 10mm
20W - 600 X 8 X 10mm

6W/12W LASER

DEEP RECESSED
ANTI GLARE



6W - 112 X 8 X 10mm
12W - 220 X 8 X 10mm

6W/12W WALLWASHER



15W - 112 X 8 X 10mm
30W - 220 X 8 X 10mm

12W TRACK LIGHT




12W - 45 X 115mm

STRAIGHT JOINTER



2 WAY JOINTER



WHITE MAGNETIC SERIES 48V 10MM


Single Colour ,CCT Tunable BLUETOOTH, Dali DT6 & DT8

Magnetic Range

L JOINTER



POWER CORD




100W/200W POWER SUPPLY



100W/200W ROUND DRIVER

INBUILT



Magnetic Range (SURFACE)

5MM



MAGNETIC SERIES 5MM

Magnetic Range


1 MTR/2MTR
TRACK



SURFACE

1MTR - 1000 X 5mm
2MTR - 2000 X 5mm

6W/12W/18W/
LASER



6W - 122 X 26 X 24mm
12W - 230 X 26 X 24mm
18W - 445 X 26 X 24mm

6W/12W
WALLWASHER




6W - 122 x 26 X 80mm
12W - 230 x 26 X 80mm

6W/10W TRACK
LIGHT




6W - 42 X 100mm
10W - 42 X 100mm

6W TERNARY




6W - 122 X 26 X 55mm

10W/20W/30W LINEAR
PROFILE




10W - 230 X 26 X 24mm
20W - 385 X 26 X 24mm
30W - 555 X 26 X 24mm

12W MAGNETIC
HANGING



12W - 40 X 300mm

9W BEAM LIGHT



9W - 300 X 26mm


MAGNETIC SERIES 5MM

Magnetic Range

48V100W/200W
MAGNETIC DRIVER




9W ROUND LASER TRACK




9W - 95 X 30mm


DRIVER COVER




EXTERNAL DRIVER
CONNECTOR




CONDUCTION
MODULE




JOINTER



T-JOINTER



PLUS-JOINTER



Sky Line

NEW !

COMING
SOON

MAY 2026



Sky Line



MAY 2026

Sky Line Belt -



Sky Line Middle Support -

Sky Line Middle Support
(1mtr Length) To be installed if
the length of the installation is
more than 5 meters




End Cap Accessories -






DORADO SERIES

DORADO SERIES



ROUND SHAPE

STRAIGHT SHAPE



RECTANGLE
SHAPE

DORADO SERIES

TRACK CHANNEL



LENGTH

1000mm 2000mm 3000mm

WEIGHT HOLDER FOR
LONGER LENGTH




LENGTH - 350mm /750mm

60W POWER SUPPLY
FOR SRAIGHT SHAPE



LENGTH - 350mm /750mm

CONNECTOR TO JOIN
2 LINES MAX- 2MTR



10W - 26 X 44 X 250mm

CONNECTOR TO
CONNECT 2 TRACKS
OF LONGER LENGTH



ARC



Radius- 800mm

60W CIRCLE




DIA
600mm 800mm
1000mm

10W PROFILE



10W - 26 X 44 X 250mm

15W ROUND PROFILE



15W - 50 X 160mm

DORADO SERIES

6W LASER
WALLWASHER



6W - 22 X 29.5 X 106.5mm

10W TRACK LIGHT



10W - 29.5 X 32 X 135mm

5W APEX (A)



5W - 29.5 X 120 X 140mm

5W APEX (B)



5W - 29.5 X 50 X 139mm

5W APEX (C)



5W - 29.5 X 100 X 142mm

5W ELEVATE (A)



5W - 29.5 X 149mm

5W ELEVATE (B)



5W - 49.5 X 100mm

5W ELEVATE (C)



5W - 60 X 106.5mm



1800k - 4000K tunable
is available in maximum
all COB models

PREMIUM
COB SERIES

Enzo



24° Beam Angle




36° Beam Angle



55° Beam Angle

Enzo



Narrow
24°

Medium
36°

Wide
55°



True Colour

CCT/DIM

UGR

Dali

REFLECTOR
COLOUR



CRI 90+/95+



Tunable



UGR >14




DT6 / DT8



Shiny BK /
WH / Chrome




Enzo Trimless




Medium
24° \ 36°

Wide
55°



True Colour	CCT/DIM	UGR	Dali	REFLECTOR COLOUR
				
CRI 90+/95+	Tunable	UGR >14	DT6 / DT8	Shiny BK / WH / Crome

Zenium



Medium
38°

Wide
55°



7W
Fixed




7W
Front
Openable

True Colour



CRI 90+/95+

REFLECTOR
COLOUR



Shiny Black
& Chrome

REFLECTOR



Metal

BODY



BK / WH

CCT/DIM



Tunable

Dali



DT6 / DT8

OPENABLE




FRONT

UGR




UGR >14

Zenium



Medium
38°

Wide
55°



True Colour



CRI 90+/95+

REFLECTOR
COLOUR



Shiny Black
& Chrome

REFLECTOR



Metal

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

OPENABLE




FRONT

UGR





UGR >14

Zenium Trimless



Medium
38°

Wide
55°



True Colour



CRI 90+/95+

REFLECTOR
COLOUR



Shiny Black
& Chrome

REFLECTOR



Metal

BODY



BK / WH

CCT/DIM



Tunable

Dali



DT6 / DT8

OPENABLE




FRONT

UGR



UGR >14


Zenium Moveable




Medium
38°

Wide
55°




True Colour	REFLECTOR COLOUR	Reflector	BODY	CCT/DIM	Dali	OPENABLE	UGR	ADJUSTABLE
								
CRI 90+/95+	Shiny Black & Chrome	Metal	BK / WH	Tunable	DT6 / DT8	FRONT	UGR >14	



Zenium Trimless Moveable



Medium
38°



Wide
55°



True Colour



CRI 90+/95+

REFLECTOR
COLOUR



Shiny Black
& Chrome

Reflector



Metal

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

OPENABLE



FRONT

UGR




UGR >14

ADJUSTABLE






Lume



Medium
24°/36°



True Colour



CRI 90+/95+

BODY



BK / WH

UGR



UGR >9

CCT/DIM



Tunable


Dali




DT6 / DT8

Chrono

NEW !



Medium
38°



Wide
55°




True Colour




CRI 90+/95+

BODY



Brass /
Champagne

CCT/DIM



Tunable

Dali



DT6 / DT8

UGR




UGR >19


Merge



Merge



Medium
36°




Wide
55°

NEW !


COMING
SOON

MAY 2026


7W



12W



15W



BODY



BK / WH

CCT/DIM




Tunable

Dali




DT6 / DT8

HALO



Medium
38°

Wide
55°



True Colour



CRI 90+/95+

BODY



BK / WH

CCT/DIM




Tunable

Dali




DT6 / DT8

MR-16



Medium
36°



Wide
55°



7W

Height
55mm

Outer
50mm



12W

Height
55mm

Outer
50mm



15W

Height
74mm

Outer
50mm

IP RATING




IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali





DT6 / DT8

Aether



Medium
36°

Wide
55°



True Colour



CRI 90+/95+

BODY



BK / WH

REFL



BK / WH
& Shiny Black

CCT/DIM




Tunable

Dali



DT6 / DT8

Deep Dark



Medium
36°



True Colour



CRI 90+/95+

BODY



BK / WH

CCT/DIM



Tunable

Dali



DT6 / DT8

UGR




11

REFL



Shiny Black


Luster COB






Narrow
15°

Medium
30°


Wide
55°



True Colour	IP RATING	Reflector	BODY	CCT/DIM	Dali	AVAILABLE
						
CRI 90+/95+	IP20	Shiny BK / WH / GOLD	BK / WH	Tunable	DT6 / DT8	Honeycomb Louver


Staller

IP20 / IP54  / IP65 



Narrow
15°

Medium
36°



True Colour



CRI 90+/95+

REFL



Shiny Black

BODY



BK / WH

CCT/DIM



Tunable


Dali



DT6 / DT8



Staller

IP20 / IP54  / IP65 



Narrow
15°

Medium
36°



True Colour

REFL


BODY

CCT/DIM

Dali



CRI 90+/95+



Shiny Black



BK / WH



Tunable




DT6 / DT8

Staller



Minimax COB



Narrow
15°

Medium
36°

7W



11W



True Colour



CRI 90+/95+

IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali




DT6 / DT8

RIVO (Mirror Light / Vanity Light)



Polarized
Lens

12W



True Colour



CRI 90+/95+

BODY



BK / WH

CCT/DIM




Tunable


Dali




DT6 / DT8



Ordinary mirror light: direct light, no fill light, creates double shadows on the face. The closer a person is to the mirror, the light will be blocked by the head and the less light will be received.




Beauty mirror light: The light reflected by the mirror effectively eliminates the shadows on the face and makes the face softer.



Patented optical design. The closer you are to the mirror, the more light your face will receive.



The Invisible Series




Medium
36°



POWERED BY

True Colour

BODY



EAGLE RISE




CRI 90+/95+




BK / WH

The Invisible Trimless




Medium
36°



POWERED BY

True Colour

BODY



EAGLE RISE




CRI 90+/95+




BK / WH

The Invisible 02




Medium
36°


Compatible with CCT Tunable, Dali & Automation



10W Trimless



POWERED BY True Colour



EAGLE RISE



CRI 90+/95+

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8


Pinnacle COB (Hotel Series)



Narrow
15°

Medium
24°/38°

Wide
55°



True Colour

CCT/DIM

Dali

AVAILABLE

BODY

ALSO
AVAILABLE

ADJUSTABLE

OPENABLE

UGR

REFLECTOR
COLOUR




CRI 90+/95+



Tunable



DT6 / DT8




Honeycomb
Louver



BK / WH



Elliptical lens



FRONT




UGR >19



Shiny BK /
WH / Chrome

Pinnacle COB Trimless




Narrow
15°

Medium
24°/38°

Wide
55°

(Hotel Series)



True Colour

CCT/DIM

Dali

AVAILABLE

BODY

ALSO
AVAILABLE

ADJUSTABLE

OPENABLE

UGR

REFLECTOR
COLOUR




CRI 90+/95+



Tunable




DT6 / DT8



Honeycomb
Louver



BK / WH




Elliptical lens



FRONT




UGR >19



Shiny BK /
WH / Chrome

Pinnacle COB (Wallwasher & Pinhole)




Narrow
15°


Medium
24°/38°

Wide
55°

(Hotel Series)



True Colour



CRI 90+/95+

CCT/DIM




Tunable

Dali



DT6 / DT8

AVAILABLE



Honeycomb
Louver

BODY



BK / WH

ALSO
AVAILABLE




Elliptical lens

ADJUSTABLE



OPENABLE



FRONT

UGR



UGR >19


REFLECTOR
COLOUR



Shiny BK /
WH / Crome

Pinnacle Square


(Hotel Series)



Narrow
15°

Medium
24°/38°

Wide
55°



True Colour

CCT/DIM

Dali

AVAILABLE

BODY


ALSO
AVAILABLE

ADJUSTABLE

OPENABLE

UGR

REFLECTOR
COLOUR




CRI 90+/95+



Tunable



DT6 / DT8




Honeycomb
Louver



BK / WH



Elliptical lens



FRONT




UGR >19



Shiny BK /
WH / Chrome

Pinnacle Twin

(Hotel Series)



Narrow
15°


Medium
24°/38°





Wide
55°

7Wx2




12Wx2



True Colour	CCT/DIM	Dali	AVAILABLE	BODY	ALSO AVAILABLE	ADJUSTABLE	OPENABLE	UGR	REFLECTOR COLOUR
									
CRI 90+/95+	Tunable	DT6 / DT8	Honeycomb Louver	BK / WH	Elliptical lens		FRONT	UGR >19	Shiny BK / WH / Chrome

Pinnacle Twin



Narrow
15°


Medium
24°/38°

Wide
55°

(Hotel Series)

Trimless

12Wx 2



18Wx 2 / 24x2



True Colour



CRI 90+/95+

CCT/DIM




Tunable

Dali



DT6 / DT8

AVAILABLE



Honeycomb
Louver

BODY



BK / WH

ALSO
AVAILABLE




Elliptical lens

ADJUSTABLE



OPENABLE



FRONT

UGR




UGR >19

REFLECTOR
COLOUR





Shiny BK /
WH / Chrome

Axor



Medium
45°



True Colour



CRI 90+/95+

BODY




BK / WH

UGR



UGR >19


Noctis



Narrow
8/15

Medium
24/36°

Wide
55°



True Colour

BODY

REFLECTOR
COLOUR

OPENABLE

CCT/DIM

Dali

ADJUSTABLE




CRI 90+/95+



BK / WH



Shiny BK /
WH / Chrome



FRONT




Tunable



DT6 / DT8




Unique COB




Narrow
15°

Medium
36°




True Colour



CRI 90+/95+

IP RATING



IP20

REFL




Black, White,
Shiny Black

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

Super Unique COB




Narrow
15°

Medium
36°

7W

Cutout
50mm




Height
45mm

Outer
55mm

12W

Cutout
75mm



Height
65mm


Outer
85mm

True Colour



CRI 90+/95+

IP Rating



IP 65

REFL



Black, White,
Shiny Black

BODY



BK / WH

CCT/DIM




Tunable

Dali




DT6 / DT8

Crown COB



Medium
36°



True Colour



CRI 90+/95+

BODY



BK / WH

REFL



SH BK / BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

Alpha




Narrow
15°

Medium
36°

12W / 15W



18W / 24W



True Colour

IP RATING

BODY


CCT/DIM

Dali

Rotatable



CRI 90+/95+



IP20



BK / WH



Tunable




DT6 / DT8



360 degree

Twin Alpha




Narrow
15°

Medium
36°

12Wx2 / 15Wx2



18Wx2 / 24Wx2



True Colour



CRI 90+/95+

IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

Carlo COB



Medium
36°

7W



12W



18W




True Colour



CRI 90+/95+

IP RATING



IP20

REFL




Black, White,
Shiny Black

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

Magic Pro



Narrow
24°

Medium
36°

Wide
60°


CONCEALED

6W



TRIMLESS

6W



MOVABLE

6W



True Colour



CRI 90+/95+

BODY



BK / WH

REFL



SH BK / BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

OPENABLE




FRONT

UGR




UGR >16

Magic Pro




Narrow 24° Medium 36° Wide 60°

CONCEALED 12W




TRIMLESS 12W



MOVABLE 12W



True Colour



CRI 90+/95+

BODY



BK / WH

REFL



SH BK / BK / WH

CCT/DIM



Tunable

Dali



DT6 / DT8

OPENABLE




FRONT

UGR



UGR >16

Mini Scalp



Medium
36°

12W

Cutout
70mm




Height
45mm

Outer
80mm



IP RATING



IP20

BODY



BK / WH

CCT/DIM



Tunable

Dali




DT6 / DT8



Wallwasher

Illume 01



Asymmetric


12/15W



20/24W



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali




DT6 / DT8

Illume 02



Asymmetric


7W



12W



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali




DT6 / DT8

OPENABLE



FRONT

Lyro




Asymmetric



12W



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali





DT6 / DT8

Wallwasher Grazer



Asymmetric



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable


Dali



DT6 / DT8




Wall washing - 10 Feet



Wallwasher Grazer

Rio



Narrow
24°

Medium
40°

Wide
60°

NEW !

COMING
SOON

MAY 2026



Surface
Light




Conceal
Light



Track
Light

IP RATING



IP20

BODY



BK / WH

CCT/DIM



Tunable

Dali




DT6 / DT8

Rotatable




360 degree


Cue



Medium
36°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

Pony




Medium
24°

8W



IP RATING



IP20

BODY




BLACK / WHITE
& GOLD

Diameter



Dia 23mm


Zoom




Medium
24/36°

Wide
60°





IP RATING	BODY	CCT/DIM	Dali	ADJUSTABLE
				
IP20	BK / WH	Tunable	DT6 / DT8	


Wallwasher Laser (Moveable)



Medium
36°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali





DT6 / DT8

Shine Pullout



Medium
36°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8


Shine Pullout Twin



Medium
36°



IP RATING



IP20

BODY



BK / WH

CCT/DIM



Tunable

Dali




DT6 / DT8






Laser


Nox Laser



Medium
36°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali






DT6 / DT8


Nox Laser Trimless



Medium
36°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali





DT6 / DT8


Zypher Laser



Medium
36°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali




DT6 / DT8


Laser CoB



Medium
36°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali





DT6 / DT8


Super Slimlaser



Medium
36°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali





DT6 / DT8

Round Laser



Medium
36°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali




DT6 / DT8

Plus Laser




Medium
36°

4W



12W



18W



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali




DT6 / DT8

Plus Laser




Medium
36°


20W



36W



40W



IP RATING



IP20

BODY



BK / WH

CCT/DIM



Tunable

Dali




DT6 / DT8



COB & SMD Surface Downlight

Hint



Medium
36°

NEW !

COMING
SOON

MAY 2026


7W



12W / 15W



18W



CCT/DIM


Dali



Tunable

DT6 / DT8



Cubix



Narrow
15°

Medium
36°

Wide
45°




True Colour



CRI 90+/95+

IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8


Cubix Twin




Narrow
15°

Medium
36°

Wide
45°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8


Cubix Triple




Narrow
15°

Medium
36°

Wide
45°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

Dusk



Medium
36°

7W



7W



14W




BODY



BK / WH &
Gold

Luster Surface




Narrow
15°

Medium
36°

Wide
55°



IP RATING



IP20

BODY




BK / WH

REFLECTOR




BK / WH/ Gold

AVAILABLE




Honeycomb
Louver


Atom Cyclinder



Medium
36°



IP RATING REFLECTOR




IP20



BK / WH/ Gold


Moon Surface



Wide
120°



IP RATING



IP20

BODY




BK / WH

CCT/DIM



Tunable

Pro Cylinder




Narrow
24°

Medium
36°

Wide
60°

7W



Height
105mm

Outer
50mm

12W



Height
135mm

Outer
50mm


18W



Height
150mm

Outer
60mm

IP RATING




IP20

BODY



BK / WH

Pro Cylinder



Narrow
24°

Medium
36°

Wide
60°

24W



Height
150mm

Outer
80mm

30W



Height
180mm

Outer
80mm


40W



Height
190mm

Outer
80mm

IP RATING




IP20

BODY



BK / WH


Optra




Wide
120°

With Increase on Height for Tunable Option


8W




15W



22W



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8


Drum



Wide
120°



IP RATING



IP20

BODY



BK / WH

CCT/DIM



Tunable

Dali




DT6 / DT8




SMD Conceal Downlight

Flow



Wide
120°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali




DT6 / DT8

Loop Downlight




Wide
120°


12W



18W



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali




DT6 / DT8

Skyline




Wide
120°


12W



18W




24W



Application Image



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

Rays Downlight



Wide
120°

12W




18W



24W



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali




DT6 / DT8





INDOOR COB SERIES



Curve Bush




Medium
36°




IP RATING	BODY	REFL	CCT/DIM	Dali
				
IP20	BK / WH & COPPER	SH BK / BK / WH	Tunable	DT6 / DT8

Short



Narrow
24°



IP RATING

BODY

CCT/DIM

Dali



IP20



BK / WH




Tunable




DT6 / DT8

Glaze Twin




Medium
36°

12W X 2




18W X 2




IP RATING	REFLECTOR	BODY	CCT/DIM	Dali
				
IP20	BK / WH/ Gold	BK / WH	Tunable	DT6 / DT8


Magma



Medium
36°




IP RATING



IP20

BODY



BK / WH &
COPPER

REFL



SH BK / BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8



Amaze



Narrow
15°/24°

Medium
36°

Wide
60°



BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8





Amaze Square




Narrow
24°

Medium
36°

Wide
50°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali




DT6 / DT8

Sky COB




Wide
90°



IP RATING	BODY	REFL	CCT/DIM	Dali
				
IP20	BK / WH & COPPER	SH BK / BK / WH	Tunable	DT6 / DT8

Curve




Narrow
15°/24°

Medium
36°

Wide
60°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

Double Ring




Narrow
15°/24°

Medium
36°

Wide
60°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

Rush



Narrow
15°/24°

Medium
36°

Wide
60°



IP RATING	BODY	CCT/DIM	Dali	ADJUSTABLE
				
IP20	BK / WH	Tunable	DT6 / DT8	




COMMERCIAL

COB SERIES



RMC



Wide
60°

3W



7W/12W



16W



24/30W



40W



BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

Stun




Narrow
24°


Medium
38°

Wide
60°

20W




30W



40W



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

Stun Moveable



Narrow
24°

Medium
38°

Wide
60°



IP RATING



IP20

BODY



BK / WH

CCT/DIM



Tunable

Dali




DT6 / DT8

ADJUSTABLE



Block



Narrow
24°

Medium
36°


Wide
60°



BODY

CCT/DIM

Dali




BK / WH

Tunable

DT6 / DT8

Block



Narrow
24°

Medium
36°

Wide
60°




BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8


Gimbal




Narrow
24°

Medium
36°

Wide
60°



IP RATING



IP20

BODY



BK / WH

CCT/DIM



Tunable

Dali



DT6 / DT8


Mini Cob's

Mini COB


1W IP 65 



2.5W EYE



3W IP65 



Mini COB



2W DARK




3W BLAZE




3W DECK




Footlight



Multiple



IP RATING



IP20

BODY




BK / WH



Track Light

Glenco Tracklight



Narrow
24°

Medium
36°

Wide
60°

15W




20W



30W



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

Gleam Tracklight




Narrow
18°/24°

Medium
36°

Wide
60°



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

AXTL Track Light



Medium
36°

10W



20W



30W



I Jointer




Plus Jointer



1 & 2 MTR TRACK



IP RATING



IP20

BODY



BK / WH

CCT/DIM




Tunable

Dali



DT6 / DT8

Dazzale TrackLight



Narrow
18°/24°

Medium
36°


Wide
60°

7W / 12W



Track Light

15W / 20W



Concel Light

24W / 30W




Concel Light

40W



Surface Light

IP RATING



IP20

BODY



BK / WH

CCT/DIM



Tunable

Dali



DT6 / DT8



Unit no. BU/28, Vaishali Diamond ArchMhatre Wadi Lane, Off Balkrishna
Tawde Road,Dahisar (West),
Mumbai- 400068 Maharashtra. INDIA

Customer Care: +91 9167698274 Email: aronixled@gmail.com

