



TOP SELECTION GARDEN 2023 - CLASSIC RANGE



HEXAGONAL LANTERN



pag.20



pag.24



pag.4



pag.16

SQUARE LANTERN

GLOBES



pag.28



pag.12



pag.48



pag.14

GARDEN SMALL

GARDEN MEDIUM

GARDEN LARGE

HALF LANTERN

BOLLARD



pag.52



pag.56



pag.60



pag.64



pag.68



pag.69



pag.71



pag.70



pag.72

BISSE/ANNA
for details see pag. 21

E22.131

Q18.110

MIKROLOT/MARY
for details see pag. 17

DISMA/ROBY
for details see pag. 5

T20.114

NEW

DISMA/DARIO
for details see pag. 9

T24.114

NARDO/G250
for details see pag. 13

G26.240

IESSE
for details see pag. 69

M22.000

ROBY RANGE

SMALL SIZE



MADE IN ITALY

NEW CCT SET

6,5W 800 lm 2700 K

8,5W 920 lm 2700 K

11W 1200 lm 4000 K

11W 1200 lm 6500 K

More details at page 77



T20.240

NEW

GREY COLOUR AVAILABLE



SMALL SIZE

ROBY RANGE

AVAILABLE COLORS		
RESIN BODY	DIFFUSER	
BLACK (A) GREY (L) WHITE (W)	CLEAR (X) OPAL (Y)	

E27 CCT LED VERSION	
	8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET 75W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W 800 lm 100-240V 50/60 Hz 2700K 60W INCANDESCENT


E27 VERSION	

NARDO/ROBY

IP55



6,5W 2700K FILAMENT	T20.240.F1R
8,5W CCT SET	T20.240.V1K
E27	T20.240.E27




Master box: 18pcs

DISMA/ROBY

IP55



6,5W 2700K FILAMENT	T20.114.F1R
8,5W CCT SET	T20.114.V1K
E27	T20.114.E27



Master box: 18 pcs

MADE IN ITALY

ROBY RANGE

SMALL SIZE



MADE IN ITALY



NEW **CCT SET** **NEW**

6,5W	8,5W	11W
800 lm	920 lm	1200 lm
2700 K	2700 K	4000 K 6500 K

More details at page 77

NEW
GREY COLOUR
AVAILABLE

T20.242



SMALL SIZE

ROBY RANGE

AVAILABLE COLORS		
RESIN BODY	DIFFUSER	
BLACK (A)	NEW COLOUR GREY (L)	WHITE (W)
	CLEAR (X)	OPAL (Y)

E27 CCT LED VERSION	
8,5W	920 lm
100-240V	50/60 Hz
2700K/4000K/6500K	
CCT SET	75W INCANDESCENT

E27 FILAMENT LED VERSION	
6,5W	800 lm
100-240V	50/60 Hz
2700K	
60W INCANDESCENT	

E27 VERSION	

GIAFFA/ROBY	
6,5W 2700K FILAMENT	T20.242.F1R
8,5W CCT SET	T20.242.V1K

SICAR/ROBY	
6,5W 2700K FILAMENT	T20.125.F1R
8,5W CCT SET	T20.125.V1K

IP55 **LED LAMP INCLUDED**

NEW

200

945

140

IP55 *available in black and white colour*

200

700

COMING SOON
available from
JUNE 2023

Master box: 18 pcs

DARIO RANGE

MEDIUM SIZE



MADE IN ITALY



NEW

GREY COLOUR AVAILABLE

T24.114



MEDIUM SIZE

DARIO RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A) GREY (L) NEW COLOUR WHITE (W)	CLEAR (X) OPAL (Y)

E27 CCT LED VERSION	
8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET 75W INCANDESCENT	

E27 FILAMENT LED VERSION	
6,5W 800 lm 100-240V 50/60 Hz 2700K 60W INCANDESCENT	

E27 VERSION	

NARDO/DARIO



NEW

IP55	6,5W 2700K FILAMENT	T24.240.F1R
	8,5W CCT SET	T24.240.V1K
E27		T24.240.E27
Master box: 12pcs		

DISMA/DARIO



NEW

IP55	6,5W 2700K FILAMENT	T24.114.F1R
	8,5W CCT SET	T24.114.V1K
E27		T24.114.E27
Master box: 12pcs		

MADE IN ITALY

DARIO RANGE

MEDIUM SIZE



NEW

GREY COLOUR AVAILABLE



MEDIUM SIZE

DARIO RANGE

AVAILABLE COLORS		
RESIN BODY	DIFFUSER	
BLACK (A)	NEW COLOUR	WHITE (W)
GREY (L)		
	CLEAR (X)	OPAL (Y)

E27 CCT LED VERSION	
8,5W	920 lm
100-240V	50/60 Hz
2700K/4000K/6500K	
75W	INCANDESCENT

E27 FILAMENT LED VERSION	
6,5W	800 lm
100-240V	50/60 Hz
2700K	
60W	INCANDESCENT

E27 VERSION	

GIAFFA/DARIO	
6,5W 2700K FILAMENT	T24.242.F1R
8,5W CCT SET	T24.242.V1K



SICAR/DARIO	
6,5W 2700K FILAMENT	T24.125.F1R
8,5W CCT SET	T24.125.V1K
E27	T24.125.E27



GLOBE 250 RANGE MODERN



More details at page 77

NEW
GREY COLOUR
AVAILABLE

G26.240




SMALL SIZE


GLOBE 250 MODERN

AVAILABLE COLORS			E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
RESIN BODY BLACK (A) GREY (L) WHITE (W)					
DIFFUSER CLEAR (X) OPAL (Y) SMOKED (Z)			8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET 75W INCANDESCENT	6,5W 800 lm 100-240V 50/60 Hz 2700K 60W INCANDESCENT	

NARDO/G250	
6,5W FILAMENT	G26.240.F1R
8,5W CCT SET	G26.240.V1K
E27	G26.240.E27




DISMA/G250	
6,5W 2700K FILAMENT	G26.114.F1R
8,5W CCT SET	G26.114.V1K
E27	G26.114.E27



GIAFFA/G250	
6,5W 2700K FILAMENT	G26.242.F1R
8,5W CCT SET	G26.242.V1K
E27	G26.125.E27



SICAR/G250	
6,5W 2700K FILAMENT	G26.125.F1R
8,5W CCT SET	G26.125.V1K
E27	G26.125.E27



MADE IN ITALY

GLOBE 300 RANGE MODERN



MADE IN ITALY

NEW CCT SET

6,5W 800 lm 2700 K	8,5W 920 lm 2700 K	11W 1200 lm 2700 K
2700 K	2700 K	4000 K
2700 K	4000 K	6500 K

More details at page 77



NEW
GREY COLOUR
AVAILABLE

G31.114.T1K



MEDIUM SIZE GLOBE 300 MODERN

AVAILABLE COLORS			E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
RESIN BODY BLACK (A) GREY (L) WHITE (W)					
DIFFUSER CLEAR (X) OPAL (Y) SMOKED (Z)			11W 1200 lm 100-240V 50/60 Hz 2700K/4000K/6500K = 75W INCANDESCENT	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT	

NARDO/G300		
6,5W 2700K FILAMENT	G31.240.F1R	
11W CCT SET	G31.240.T1K	
E27	G31.240.E27	

IP55

Master box: 24pcs

DISMA/G300		
6,5W 2700K FILAMENT	G31.114.F1R	
11W CCT SET	G31.114.T1K	
E27	G31.114.E27	

IP55

Master box: 24pcs

GIAFFA/G300		
6,5W 2700K FILAMENT	G31.242.F1R	
11W CCT SET	G31.242.T1K	
E27	G31.125.E27	

IP55

LED LAMP INCLUDED

Master box: 2pcs

SICAR/G300		
6,5W 2700K FILAMENT	G31.125.F1R	
11W CCT SET	G31.125.T1K	
E27	G31.125.E27	

IP55

available in black and white colour

COMING SOON
available from JUNE 2023

Master box: 24pcs

MADE IN ITALY

MARY RANGE

SMALL SIZE



MADE IN ITALY



Q18.110.F1R



SMALL SIZE

MARY RANGE


AVAILABLE COLORS



E27 CCT LED VERSION



E27 FILAMENT LED VERSION




E27 VERSION



BISSO/MARY




IP55	6,5W 2700K	Q18.131.F1R
	8,5W CCT SET	Q18.131.V1K
E27		Q18.131.E27



Master box: 18pcs

MIKROLOT/MARY


6,5W 2700K	Q18.110.F1R
8,5W CCT SET	Q18.110.V1K
E27	Q18.110.E27



Master box: 18pcs

SICHEM/MARY

6,5W 2700K	Q18.120.F1R
8,5W CCT SET	Q18.120.V1K
E27	Q18.120.E27



Master box: 18pcs

MADE IN ITALY

MARY RANGE

SMALL SIZE



AVAILABLE COLORS	
RESIN BODY	DIFFUSER
	
BLACK (A)	CLEAR (X)
	
WHITE (W)	OPAL (Y)

E27 CCT LED VERSION	
	8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET 60W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W 800 lm 100-240V 50/60 Hz 2700K 60W INCANDESCENT


MIZAR/MARY (resin)

IP55

LED LAMP INCLUDED

NEW

6,5W FILAMENT 2700K	Q18.151.F1R
8,5W CCT SET	Q18.151.V1K



180
1080
Ø 50
Ø 150


ARTU'BISSO/MARY 2L

IP55

LED LAMP INCLUDED

NEW

6,5W FILAMENT 2700K	Q18.158.S20.F1R
8,5W CCT SET	Q18.158.S20.V1K



570
1830
Ø 245


ARTU'BISSO/MARY 3L

IP55

LED LAMP INCLUDED

NEW

6,5W FILAMENT 2700K	Q18.158.S30.F1R
8,5W CCT SET	Q18.158.S30.V1K



520
1830
Ø 245



SMALL SIZE

MARY RANGE

"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED
MADE IN ITALY

ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS


GIGI BISSO/MARY 2L

IP55

LED LAMP INCLUDED

NEW

6,5W FILAMENT 2700K	Q18.156.S20.F1R
8,5W CCT SET	Q18.156.S20.V1K



570
2070
Ø 245


GIGI BISSO/MARY 3L

IP55

LED LAMP INCLUDED

NEW

6,5W FILAMENT 2700K	Q18.156.S30.F1R
8,5W CCT SET	Q18.156.S30.V1K



520
2070
Ø 245

ANNA RANGE

SMALL SIZE



MADE IN ITALY

E22.110.V1K

NEW CCT SET

6,5W 800 lm 2700 K

8,5W 920 lm 2700 K

11W 1200 lm 4000 K

11W 1200 lm 6500 K

More details at page 77



SMALL SIZE

ANNA RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK (A)	CLEAR (X)
WHITE (W)	OPAL (Y)

E27 CCT LED VERSION	
	8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET = 60W INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT

E27 VERSION	

BISSO/ANNA



IP55	6,5W FLAMENT 2700K	E22.131.F1R
	8,5W CCT SET	E22.131.V1K
E27		E22.131.E27
Master box: 18pcs		

MIKROLOT/ANNA

6,5W FLAMENT 2700K	E22.110.F1R
8,5W CCT SET	E22.110.V1K
E27	E22.110.E27



SICHEM/ANNA

6,5W FLAMENT 2700K	E22.120.F1R
8,5W CCT SET	E22.120.V1K
E27	E22.120.E27





AVAILABLE COLORS

RESIN BODY	DIFFUSER
 BLACK (A)	 WHITE (W)
 CLEAR (X)	 OPAL (Y)

E27 CCT LED VERSION

	8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET 60W INCANDESCENT
---	--

E27 FILAMENT LED VERSION


	6,5W 800 lm 100-240V 50/60 Hz 2700K 60W INCANDESCENT
---	---

MIZAR/ANNA (resin)



IP55
LED LAMP INCLUDED

6,5W 2700K FILAMENT	E22.151.F1R
8,5W CCT SET	E22.151.V1K




220
1100
Ø50
Ø150

ALOE'.R/ANNA (resin)



IP55
LED LAMP INCLUDED

6,5W 2700K FILAMENT	E22.163.F1R
8,5W CCT SET	E22.163.V1K



220
1400
Ø190

ARTU'/ANNA



IP55
LED LAMP INCLUDED

6,5W 2700K FILAMENT	E22.158.F1R
8,5W CCT SET	E22.158.V1K



220
1820
Ø245



"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

fumaTech®
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED
MADE IN ITALY


ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS

GIGI BISSO/ANNA 2L



IP55
LED LAMP INCLUDED

6,5W 2700K FILAMENT	E22.156.S20.F1R
8,5W CCT SET	E22.156.S20.V1K




610
2090
Ø245

GIGI BISSO/ANNA 3L



IP55
LED LAMP INCLUDED

6,5W 2700K FILAMENT	E22.156.S30.F1R
8,5W CCT SET	E22.156.S30.V1K



560
2090
Ø245

SABA RANGE

SMALL SIZE



K22.131.F1R



SMALL SIZE

SABA RANGE

AVAILABLE COLORS	
RESIN BODY	DIFFUSER
	
BLACK (A)	CLEAR (X)
	
WHITE (W)	OPAL (Y)

E27 CCT LED VERSION

8,5W
920 lm
100-240V
50/60 Hz
2700K/4000K/6500K
CCT SET
60W
INCANDESCENT

E27 FILAMENT LED VERSION

6,5W
800 lm
100-240V
50/60 Hz
2700K
60W
INCANDESCENT

E27 VERSION

60W
INCANDESCENT

BISSO/SABA




IP55	6,5W 2700K FILAMENT K22.131.F1R
	8,5W CCT SET K22.131.V1K
E27	K22.131.E27



Master box: 18pcs

MIKROLOT/SABA


6,5W 2700K FILAMENT K22.110.F1R
8,5W CCT SET K22.110.V1K
E27 K22.110.E27



Master box: 18pcs

SICHEM/SABA

6,5W 2700K FILAMENT K22.120.F1R
8,5W CCT SET K22.120.V1K
E27 K22.120.E27



Master box: 18pcs

MADE IN ITALY

SABA RANGE

SMALL SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER
 BLACK (A)	 WHITE (W)
 CLEAR (X)	 OPAL (Y)

E27 CCT LED VERSION

	8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET = 60W INCANDESCENT
---	--

E27 FILAMENT LED VERSION


	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT
---	---

MIZAR/SABA (resin)

IP55

LED LAMP INCLUDED

6,5W 2700K FILAMENT	K22.151.F1R
8,5W CCT SET	K22.151.V1K




ALOE'.R/SABA (resin)

IP55

LED LAMP INCLUDED

6,5W 2700K FILAMENT	K22.163.F1R
8,5W CCT SET	K22.163.V1K




ARTU'/SABA

IP55

LED LAMP INCLUDED

6,5W 2700K FILAMENT	K22.158.F1R
8,5W CCT SET	K22.158.V1K



SMALL SIZE

SABA RANGE

"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

fumaTech®
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED
MADE IN ITALY


ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS

GIGI BISSO/SABA 2L

IP55

LED LAMP INCLUDED

6,5W 2700K FILAMENT	K22.156.S20.F1R
8,5W CCT SET	K22.156.S20.V1K




GIGI BISSO/SABA 3L

IP55

LED LAMP INCLUDED

6,5W 2700K FILAMENT	K22.156.S30.F1R
8,5W CCT SET	K22.156.S30.V1K



GLOBE 250 RANGE CLASSIC



MADE IN ITALY

NEW CCT SET

6,5W 800 lm 2700 K	8,5W 920 lm 2700 K	11W 1200 lm 4000 K
--------------------------	--------------------------	--------------------------

More details at page 77



G25.131.F1R



SMALL SIZE GLOBE 250 CLASSIC

AVAILABLE COLORS					E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
RESIN BODY		DIFFUSER			 	 	
							
BLACK [A]	WHITE [W]	CLEAR [X]	OPAL [Y]	SMOKED [Z]			

BISSO/G250

IP55	6,5W 2700K FILAMENT	G25.131.F1R
	8,5W CCT SET	G25.131.V1K
E27		G25.131.E27

Master box: 36pcs

MIKROLOT/G250			SICHEM/G250		
6,5W 2700K FILAMENT	G25.110.F1R		6,5W 2700K FILAMENT	G25.120.F1R	
8,5W CCT SET	G25.110.V1K		8,5W CCT SET	G25.120.V1K	
E27	G25.110.E27		E27	G25.120.E27	

IP55

Master box: 36pcs

IP55

Master box: 36pcs

GLOBE 250 CLASSIC SMALL SIZE



AVAILABLE COLORS	
RESIN BODY	DIFFUSER

E27 CCT LED VERSION	
	8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K
	INCANDESCENT

E27 FILAMENT LED VERSION	
	6,5W 800 lm 100-240V 50/60 Hz 2700K
	INCANDESCENT

MIZAR/G250 (resin)

LED LAMP INCLUDED

6,5W FILAMENT 2700K	G25.151.F1R
8,5W CCT SET	G25.151.V1K

Ø 250
Ø 50
1000
Ø 150

box: **2pcs**

ALOE'.R/G250 (resin)

LED LAMP INCLUDED

6,5W FILAMENT 2700K	G25.163.F1R
8,5W CCT SET	G25.163.V1K

Ø 250
Ø 190
1350

box: **2pcs**

ARTU'/G250

LED LAMP INCLUDED

6,5W FILAMENT 2700K	G25.158.F1R
8,5W CCT SET	G25.158.V1K

Ø 250
Ø 245
1710

box: **2pcs**



SMALL SIZE GLOBE 250 CLASSIC

"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

LIFETIME GUARANTEE
ANTI RUST
NO PAINTING REQUIRED
MADE IN ITALY

ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS

GIGI BISSO/G250 2L

LED LAMP INCLUDED

6,5W FILAMENT 2700K	G25.156.S20.F1R
8,5W CCT SET	G25.156.S20.V1K

670
Ø 250
2050
Ø 245
box: **2pcs**

GIGI BISSO/G250 3L

LED LAMP INCLUDED

6,5W FILAMENT 2700K	G25.156.S30.F1R
8,5W CCT SET	G25.156.S30.V1K


620
Ø 250
2050
Ø 245
box: **2pcs**

RUT RANGE

MEDIUM SIZE



MADE IN ITALY



E26.157.S30.F1R

NEW CCT SET

Power (W)	Light Output (lm)	Color Temperature (K)
6,5W	800 lm	2700 K
8,5W	920 lm	2700 K
11W	1200 lm	2700 K
		4000 K
		6500 K

More details at page 77



MEDIUM SIZE

RUT RANGE

AVAILABLE COLORS		E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
RESIN BODY	DIFFUSER			
BLACK (A)	WHITE (W)			
CLEAR (X)	OPAL (Y)			
		11W 1200 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET = 75W INCANDESCENT	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT	

BISSO/RUT

IP55	Power (W)	Light Output (lm)	Color Temperature (K)	Model
	6,5W	800 lm	2700 K	E26.131.F1R
	11W	1200 lm	2700 K	E26.131.T1K
	E27			E26.131.E27

Dimensions: 315 (width), 500 (height)

Master box: 12pcs

MINILOT/RUT

IP55	Power (W)	Light Output (lm)	Color Temperature (K)	Model
	6,5W	800 lm	2700 K	E26.111.F1R
	11W	1200 lm	2700 K	E26.111.T1K
	E27			E26.111.E27

Dimensions: 260 (width), 530 (height), Ø150 (base)

Master box: 12pcs

SICHEM/RUT

IP55	Power (W)	Light Output (lm)	Color Temperature (K)	Model
	6,5W	800 lm	2700 K	E26.120.F1R
	11W	1200 lm	2700 K	E26.120.T1K
	E27			E26.120.E27

Dimensions: 850 (height), 260 (width)

Master box: 12pcs

MADE IN ITALY

RUT RANGE

MEDIUM SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER
 BLACK (A)	 WHITE (W)
 CLEAR (X)	 OPAL (Y)

E27 CCT LED VERSION

8,5W	11W
920 lm	1200 lm
100-240V 50/60 Hz	100-240V 50/60 Hz
2700K/4000K/6500K	2700K/4000K/6500K
60W INCANDESCENT	75W INCANDESCENT

E27 FILAMENT LED VERSION

6,5W
800 lm
100-240V 50/60 Hz
2700K
60W INCANDESCENT

MIZAR/RUT (resin)

IP55

LED LAMP INCLUDED




6,5W FILAMENT	2700K	E26.151.F1R
8,5W CCT SET		E26.151.V1K
11W CCT SET		E26.151.T1K

RICU BISSO/RUT 2L

IP55

LED LAMP INCLUDED




6,5W FILAMENT	2700K	E26.157.S20.F1R
8,5W CCT SET		E26.157.S20.V1K
11W CCT SET		E26.157.S20.T1K

RICU BISSO/RUT 3L

IP55

LED LAMP INCLUDED



6,5W FILAMENT	2700K	E26.157.S30.F1R
8,5W CCT SET		E26.157.S30.V1K
11W CCT SET		E26.157.S30.T1K



MEDIUM SIZE

RUT RANGE

"METAL POST COVERED BY RESIN"

STEEL

RESIN

EXPANSE

fumaTech FUMAGALLI POLES TECHNOLOGY

ANTI RUST LIFETIME GUARANTEE NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE


DOUBLE INSULATION

NOT AFFECTED BY CHEMICAL FERTILIZERS

ALOE'R/RUT (resin)

IP55

LED LAMP INCLUDED



6,5W FILAMENT	2700K	E26.163.F1R
8,5W CCT SET		E26.163.V1K
11W CCT SET		E26.163.T1K

ARTU'R/RUT

IP55

LED LAMP INCLUDED



6,5W FILAMENT	2700K	E26.158.F1R
8,5W CCT SET		E26.158.V1K
11W CCT SET		E26.158.T1K

GIGI/RUT

IP55

LED LAMP INCLUDED




6,5W FILAMENT	2700K	E26.156.F1R
8,5W CCT SET		E26.156.V1K
11W CCT SET		E26.156.T1K

RICU/RUT

IP55

LED LAMP INCLUDED



6,5W FILAMENT	2700K	E26.157.F1R
8,5W CCT SET		E26.157.V1K
11W CCT SET		E26.157.T1K

SALEM RANGE

MEDIUM SIZE



K26.111.F1R




MEDIUM SIZE

SALEM RANGE

AVAILABLE COLORS				E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
RESIN BODY		DIFFUSER		 11W 1200 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET = 75W INCANDESCENT	 6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT	
						
BLACK [A]	WHITE [W]	CLEAR [X]	OPAL [Y]			

BISSO/SALEM

			6,5W 2700K FILAMENT	K26.131.F1R
			11W CCT SET	K26.131.T1K
			E27	K26.131.E27




Master box: **12pcs**

MINILOT/SALEM

6,5W 2700K FILAMENT		K26.111.F1R	6,5W 2700K FILAMENT		K26.120.F1R
11W		K26.111.T1K	11W		K26.120.T1K
E27		K26.111.E27	E27		K26.120.E27



Master box: **12pcs**



Master box: **12pcs**

SALEM RANGE

MEDIUM SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER
 BLACK (A)	 WHITE (W)
 CLEAR (X)	 OPAL (Y)

E27 CCT LED VERSION

8,5W	11W
920 lm	1200 lm
100-240V 50/60 Hz	100-240V 50/60 Hz
2700K/4000K/6500K	2700K/4000K/6500K
60W INCANDESCENT	75W INCANDESCENT

E27 FILAMENT LED VERSION

6,5W
800 lm
100-240V 50/60 Hz
2700K
60W INCANDESCENT

MIZAR/SALEM (resin)


IP55

LED LAMP INCLUDED

6,5W 2700K K26.151.F1R

8,5W CCT SET K26.151.V1K

11W CCT SET K26.151.T1K



RICU BISSO/SALEM 2L


IP55

LED LAMP INCLUDED

6,5W 2700K K26.157.S20.F1R

8,5W CCT SET K26.157.S20.V1K

11W CCT SET K26.157.S20.T1K



RICU BISSO/SALEM 3L


IP55

LED LAMP INCLUDED

6,5W 2700K K26.157.S30.F1R

8,5W CCT SET K26.157.S30.V1K

11W CCT SET K26.157.S30.T1K



MEDIUM SIZE

SALEM RANGE

"METAL POST COVERED BY RESIN"

STEEL

RESIN

EXPANSE

fumaTech FUMAGALLI POLES TECHNOLOGY

ANTI RUST LIFETIME GUARANTEE NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION

NOT AFFECTED BY CHEMICAL FERTILIZERS

ALOE'.R/SALEM (resin)

IP55

LED LAMP INCLUDED

6,5W 2700K K26.163.F1R

8,5W CCT SET K26.163.V1K

11W CCT SET K26.163.T1K



ARTU'/SALEM


IP55

LED LAMP INCLUDED

6,5W 2700K K26.158.F1R

8,5W CCT SET K26.158.V1K

11W CCT SET K26.158.T1K



GIGI/SALEM

IP55

LED LAMP INCLUDED

6,5W 2700K K26.156.F1R

8,5W CCT SET K26.156.V1K

11W CCT SET K26.156.T1K



RICU/SALEM


IP55

LED LAMP INCLUDED

6,5W 2700K K26.157.F1R

8,5W CCT SET K26.157.V1K

11W CCT SET K26.157.T1K



GOLIA RANGE
MEDIUM SIZE



MADE IN ITALY

6,5W
800 lm
2700 K

8,5W
920 lm
2700 K

11W
1200 lm
2700 K

NEW CCT SET

6500K
4000K
2700K

More details at page 77

Q23.131.F1R

UV
UNTREATED

ANTISHOCK

RECYCLABLE

CE

CB
IECEE CB
SCHEME

IP55

CLASS I
DOUBLE
INSULATION



MEDIUM SIZE GOLIA RANGE

AVAILABLE COLORS				E27 CCT LED VERSION	E27 FILAMENT LED VERSION	E27 VERSION
RESIN BODY		DIFFUSER				
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)	8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET = 60W INCANDESCENT	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT	

IP55

6,5W 2700K FILAMENT Q23.131.F1R

8,5W CCT SET Q23.131.V1K

E27 Q23.131.E27

300
450
450

Master box: 12pcs

MINILOT/GOLIA

6,5W 2700K FILAMENT Q23.111.F1R

8,5W CCT SET Q23.111.V1K

E27 Q23.111.E27

IP55

230
470
Ø150

Master box: 12pcs

SICHEM/GOLIA

6,5W 2700K FILAMENT Q23.120.F1R

8,5W CCT SET Q23.120.V1K

E27 Q23.120.E27

IP55

800
230

Master box: 12pcs

GOLIA RANGE

MEDIUM SIZE



AVAILABLE COLORS

RESIN BODY	DIFFUSER
 BLACK [A]	 WHITE [W]
 CLEAR [X]	 OPAL [Y]

E27 CCT LED VERSION

	8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET 60W INCANDESCENT
---	--

E27 FILAMENT LED VERSION


	6,5W 800 lm 100-240V 50/60 Hz 2700K 60W INCANDESCENT
---	---

MIZAR/GOLIA (resin)



IP55
LED LAMP INCLUDED

6,5W 2700K FILAMENT Q23.151.F1R
8,5W CCT SET Q23.151.V1K



230
1100
Ø 50
Ø 150



MEDIUM SIZE

GOLIA RANGE

"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

fumaTech®
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED
MADE IN ITALY


ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS

ALOE'R/GOLIA (resin)



IP55
LED LAMP INCLUDED

6,5W 2700K FILAMENT Q23.163.F1R
8,5W CCT SET Q23.163.V1K




230
1450
Ø 190

ARTU'/GOLIA



IP55
LED LAMP INCLUDED

6,5W 2700K FILAMENT Q23.158.F1R
8,5W CCT SET Q23.158.V1K




1830
Ø 245

RICU BISSO/GOLIA 2L



IP55
LED LAMP INCLUDED

6,5W 2700K FILAMENT Q23.157.S20.F1R
8,5W CCT SET Q23.157.S20.V1K




820
2430
Ø 245

RICU BISSO/GOLIA 3L



IP55
LED LAMP INCLUDED

6,5W 2700K FILAMENT Q23.157.S30.F1R
8,5W CCT SET Q23.157.S30.V1K



770
2430
Ø 245

GIGI/GOLIA



IP55
LED LAMP INCLUDED

6,5W 2700K FILAMENT Q23.156.F1R
8,5W CCT SET Q23.156.V1K




230
2110
Ø 245

RICU/GOLIA



IP55
LED LAMP INCLUDED

6,5W 2700K FILAMENT Q23.157.F1R
8,5W CCT SET Q23.157.V1K



230
2380
Ø 245

CEFA RANGE

MEDIUM SIZE



MADE IN ITALY


NEW CCT SET

6,5W 800 lm 2700 K	8,5W 920 lm 2700 K	11W 1200 lm 2700 K	11W 1200 lm 4000 K	11W 1200 lm 6500 K
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

More details at page 77



U23.120.F1R



MEDIUM SIZE

CEFA RANGE

AVAILABLE COLORS

RESIN BODY		DIFFUSER	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)

E27 CCT LED VERSION

	8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K CCT SET = 60W INCANDESCENT
--	--

E27 FILAMENT LED VERSION

	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT
--	---

E27 VERSION

--	--

BISSO/CEFA

IP55	6,5W 2700K FILAMENT U23.131.F1R
	8,5W CCT SET U23.131.V1K
E27	U23.131.E27

300
480
480

Master box: **12pcs**

MINILOT/CEFA

6,5W 2700K FILAMENT U23.111.F1R
8,5W CCT SET U23.111.V1K
E27 U23.111.E27

IP55

230
460
Ø150

Master box: **12pcs**

SICHEM/CEFA

6,5W 2700K FILAMENT U23.120.F1R
8,5W CCT SET U23.120.V1K
E27 U23.120.E27

IP55

230
820

Master box: **12pcs**

MADE IN ITALY

CEFA RANGE

MEDIUM SIZE



AVAILABLE COLORS	
RESIN BODY	DIFFUSER
	
BLACK [A]	CLEAR [X]
	
WHITE [W]	OPAL [Y]

E27 CCT LED VERSION	
	8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K = 60W INCANDESCENT


E27 FILAMENT LED VERSION	
	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT

MIZAR/CEFA (resin)

IP55

6,5W 2700K FILAMENT U23.151.F1R
8,5W CCT SET U23.151.V1K

LED LAMP INCLUDED




230
1110
Ø 50
Ø 150

RICU BISSE/CEFA 2L

IP55

6,5W 2700K FILAMENT U23.157.S20.F1R
8,5W CCT SET U23.157.S20.V1K

LED LAMP INCLUDED




820
2450
Ø 245

RICU BISSE/CEFA 3L

IP55

6,5W 2700K FILAMENT U23.157.S30.F1R
8,5W CCT SET U23.157.S30.V1K

LED LAMP INCLUDED



770
2450
Ø 245



MEDIUM SIZE

CEFA RANGE

"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

fumaTech
FUMAGALLI POLES TECHNOLOGY

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED
MADE IN ITALY


ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS

ALOE'R/CEFA (resin)

IP55

6,5W 2700K FILAMENT U23.163.F1R
8,5W CCT SET U23.163.V1K

LED LAMP INCLUDED



230
1470
Ø 190

ARTU'/CEFA

IP55

6,5W 2700K FILAMENT U23.158.F1R
8,5W CCT SET U23.158.V1K

LED LAMP INCLUDED





1865
Ø 245

GIGI/CEFA

IP55

6,5W 2700K FILAMENT U23.156.F1R
8,5W CCT SET U23.156.V1K

LED LAMP INCLUDED




230
2130
Ø 245

RICU/CEFA

IP55

6,5W 2700K FILAMENT U23.157.F1R
8,5W CCT SET U23.157.V1K

LED LAMP INCLUDED



230
2450
Ø 245

GLOBE 300 RANGE CLASSIC



More details at page 77


G30.111



G30.162



MEDIUM SIZE GLOBE 300 CLASSIC

AVAILABLE COLORS					E27 CCT LED VERSION		E27 FILAMENT LED VERSION		E27 VERSION
RESIN BODY		DIFFUSER			 CCT SET	 CCT SET			
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)	SMOKED (Z)					

BISSO/G300		
IP55	6,5W FILAMENT	G30.131.F1R
	11W CCT SET	G30.131.T1K
E27		G30.131.E27
		
Master box: 24pcs		

MINILOT/G300			SICHEM/G300		
6,5W 2700K FILAMENT		G30.111.F1R	6,5W 2700K FILAMENT		G30.120.F1R
11W CCT SET		G30.111.T1K	11W CCT SET		G30.120.T1K
E27		G30.111.E27	E27		G30.120.E27
					
Master box: 24pcs			Master box: 24pcs		

GLOBE 300 CLASSIC MEDIUM SIZE



AVAILABLE COLORS	
RESIN BODY	DIFFUSER
BLACK [A] WHITE [W] CLEAR [X] OPAL [Y] SMOKED [Z]	

E27 CCT LED VERSION	
8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K = 60W INCANDESCENT	11W 1200 lm 100-240V 50/60 Hz 2700K/4000K/6500K = 75W INCANDESCENT

E27 FILAMENT LED VERSION	
6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT

IP55

LED LAMP INCLUDED

IAFET.R/G300 (resin)

6,5W 2700K	G30.162.F1R
8,5W CCT SET	G30.162.V1K
11W CCT SET	G30.162.T1K

box: 2pcs

IP55

LED LAMP INCLUDED

RICU BISSO/G300 2L

6,5W 2700K	G30.157.S20.F1R
8,5W CCT SET	G30.157.S20.V1K
11W CCT SET	G30.157.S20.T1K

box: 2pcs

IP55

LED LAMP INCLUDED

RICU BISSO/G300 3L

6,5W 2700K	G30.157.S30.F1R
8,5W CCT SET	G30.157.S30.V1K
11W CCT SET	G30.157.S30.T1K

box: 2pcs



MEDIUM SIZE GLOBE 300 CLASSIC

"METAL POST COVERED BY RESIN"

STEEL
RESIN
EXPANSE

ANTI RUST
LIFETIME GUARANTEE
NO PAINTING REQUIRED
MADE IN ITALY

ANTI CORROSION
UV-RAYS STABILIZED
NO MAINTENANCE
DOUBLE INSULATION
NOT AFFECTED BY CHEMICAL FERTILIZERS

IP55

LED LAMP INCLUDED

ALO'E'.R/G300 (resin)

6,5W 2700K	G30.163.F1R
8,5W CCT SET	G30.163.V1K
11W CCT SET	G30.163.T1K

box: 2pcs

IP55

LED LAMP INCLUDED

ARTU'.G300

6,5W 2700K	G30.158.F1R
8,5W CCT SET	G30.158.V1K
11W CCT SET	G30.158.T1K

box: 2pcs

IP55

LED LAMP INCLUDED

GIGI/G300

6,5W 2700K	G30.156.F1R
8,5W CCT SET	G30.156.V1K
11W CCT SET	G30.156.T1K

box: 2pcs

IP55

LED LAMP INCLUDED

RICU/G300

6,5W 2700K	G30.157.F1R
8,5W CCT SET	G30.157.V1K
11W CCT SET	G30.157.T1K

box: 2pcs

NOEMI RANGE

LARGE SIZE



MADE IN ITALY



HIGH POWER LED VERSION

E35.132.Q1K

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C
-30°C
90% HUMIDITY
VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 78



LARGE SIZE

NOEMI RANGE

AVAILABLE COLORS



E27 HIGH POWER LED VERSION


15W	30W
1690 lm	3620 lm
100-240V 50/60 Hz	100-240V 50/60 Hz
4000K/3000K	4000K/3000K
100W INCANDESCENT	= NOEMI 70W HQI-SOL

OFIR/NOEMI



15W LED	CCT SET	E35.132.R1K
30W LED	CCT SET	E35.132.Q1K


HIGH POWER LED VERSION



box: 1pcs

LOT/NOEMI


15W LED	CCT SET	E35.113.R1K
30W LED	CCT SET	E35.113.Q1K



box: 1pcs

SICHEM/NOEMI

15W LED	CCT SET	E35.121.R1K
30W LED	CCT SET	E35.121.Q1K



box: 1pcs

MADE IN ITALY

NOEMI RANGE

LARGE SIZE




E27 HIGH POWER LED VERSION						
LAMP	POWER	LUMINOUS FLUX	VOLTAGE RANGE	CCT SETTABLE	COMPARISON	
 E27 HIGH POWER LED Ø 100	15W	1690 lm	100-240V 50/60 Hz	4000K/3000K	≈ 100W INCANDESCENT	
	30W	3620 lm	100-240V 50/60 Hz	4000K/3000K	≈ NOEMI 70W HQI-SO-N	



IAFET.R/NOEMI (resin)

15W LED	E35.162.R1K
30W LED	E35.162.Q1K




HIGH POWER LED VERSION


box: **2pcs**




ARTU'/NOEMI	GIGI/NOEMI	RICU/NOEMI
15W LED E35.158.R1K	15W LED E35.156.R1K	15W LED E35.157.R1K
30W LED E35.158.Q1K	30W LED E35.156.Q1K	30W LED E35.157.Q1K



HIGH POWER LED VERSION



HIGH POWER LED VERSION



HIGH POWER LED VERSION


box: **2pcs**



LARGE SIZE

NOEMI RANGE

"METAL POST COVERED BY RESIN"



STEEL
RESIN
EXPANSE



FUMAGALLI POLES TECHNOLOGY



NEBO/NOEMI

30W LED	E35.201.Q1K
----------------	-------------






HIGH POWER LED VERSION

box: **2pcs**

NEBO OFIR/NOEMI 2L

30W LED	E35.201.R20.Q1K
----------------	-----------------





HIGH POWER LED VERSION

box: **2pcs**

SILOE RANGE

LARGE SIZE



MADE IN ITALY

HIGH POWER LED VERSION



K35.132.Q1K

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C
-30° HUMIDITY 90%

VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 78



LARGE SIZE

SILOE RANGE

AVAILABLE COLORS			
RESIN BODY		DIFFUSER	
BLACK (A)	WHITE (W)	CLEAR (X)	OPAL (Y)

E27 HIGH POWER LED VERSION	
15W 1690 lm 100-240V 50/60 Hz 4000K/3000K	30W 3620 lm 100-240V 50/60 Hz 4000K/3000K
= 100W INCANDESCENT	= NOEMI 70W HQI-SOR

OFIR/SILOE

IP55

15W LED CCT SET K35.132.R1K

30W LED CCT SET K35.132.Q1K

HIGH POWER LED VERSION

400 630 630 400

box: 1pcs

LOT/SILOE

15W LED CCT SET K35.113.R1K

30W LED CCT SET K35.113.Q1K

IP55

HIGH POWER LED VERSION

350 710 Ø 190

box: 1pcs

SICHEM/SILOE

15W LED CCT SET K35.121.R1K

30W LED CCT SET K35.121.Q1K

IP55

HIGH POWER LED VERSION

350 1010


box: 1pcs

MADE IN ITALY

SILOE RANGE

LARGE SIZE




E27 HIGH POWER LED VERSION						
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	COMPARISON	
 E27 HIGH POWER LED Ø 100	15W 30W	1690 lm 3620 lm	100-240V 50/60 Hz 100-240V 50/60 Hz	4000K/3000K 4000K/3000K	=  100W INCANDESCENT = SILOE  70W HQI-SON	



IAFET.R/SILOE (resin)

15W LED CCT SET	K35.162.R1K
30W LED CCT SET	K35.162.Q1K



HIGH POWER LED VERSION


box: 2pcs



ARTU'/SILOE

15W LED CCT SET	K35.158.R1K
30W LED CCT SET	K35.158.Q1K

HIGH POWER LED VERSION




box: 2pcs

GIGI/SILOE

15W LED CCT SET	K35.156.R1K
30W LED CCT SET	K35.156.Q1K

HIGH POWER LED VERSION



box: 2pcs

RICU/SILOE

15W LED CCT SET	K35.157.R1K
30W LED CCT SET	K35.157.Q1K

HIGH POWER LED VERSION




box: 2pcs



LARGE SIZE

SILOE RANGE

"METAL POST COVERED BY RESIN"



STEEL
RESIN
EXPANSE



FUMAGALLI POLES TECHNOLOGY



NEBO/SILOE

30W LED CCT SET	K35.201.Q1K
-----------------	-------------

HIGH POWER LED VERSION




IP55

NEBO OFIR/SILOE 2L

30W LED CCT SET	K35.201.R20.Q1K
-----------------	-----------------

HIGH POWER LED VERSION



IP55

TOBIA RANGE

LARGE SIZE



HIGH POWER LED VERSION

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C
-30°C

90% HUMIDITY

VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 78



Q33.113.Q1K



LARGE SIZE

TOBIA RANGE

AVAILABLE COLORS

RESIN BODY



DIFFUSER



BLACK (A)

WHITE (W)

CLEAR (X)

OPAL (Y)

E27 HIGH POWER LED VERSION

15W
1690 lm

100-240V 50/60 Hz
4000K/3000K

100W
INCANDESCENT

30W
3620 lm

100-240V 50/60 Hz
4000K/3000K

70W
HID-SOD

OFIR/TOBIA

IP55

△ △ △



15W LED


CCT SET

Q33.132.R1K

30W LED

CCT SET

Q33.132.Q1K



HIGH POWER LED VERSION

box: 1pcs

LOT/TOBIA

15W LED

CCT SET

Q33.113.R1K

30W LED

CCT SET


Q33.113.Q1K

IP55

△ △ △



HIGH POWER LED VERSION



box: 1pcs

SICHEM/TOBIA

15W LED

CCT SET

Q33.121.R1K


30W LED

CCT SET

Q33.121.Q1K



HIGH POWER LED VERSION



box: 1pcs

MADE IN ITALY

4

NEWS

20

GARDEN SMALL

32

GARDEN MEDIUM

52

GARDEN LARGE

68

HALF LANTERN

70


BOLLARD

61

TOBIA RANGE

LARGE SIZE




E27 HIGH POWER LED VERSION					
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	COMPARISON
 E27 HIGH POWER LED Ø 100	15W	1690 lm	100-240V 50/60 Hz	4000K/3000K	≈  100W INCANDESCENT
	30W	3620 lm	100-240V 50/60 Hz	4000K/3000K	≈  TOBIA HQI-SO4 70W





IAFET.R/TOBIA (resin)


15W LED CCT SET	Q33.162.R1K
30W LED CCT SET	Q33.162.Q1K



1200


HIGH POWER LED VERSION

box: 2pcs



ARTU'/TOBIA	GIGI/TOBIA	RICU/TOBIA
15W LED CCT SET Q33.158.R1K	15W LED CCT SET Q33.156.R1K	15W LED CCT SET Q33.157.R1K
30W LED CCT SET Q33.158.Q1K	30W LED CCT SET Q33.156.Q1K	30W LED CCT SET Q33.157.Q1K

HIGH POWER LED VERSION




330

1960

Ø245

box: 2pcs

HIGH POWER LED VERSION




330

2240

Ø245

box: 2pcs

HIGH POWER LED VERSION



330

2500

Ø245


box: 2pcs



LARGE SIZE

TOBIA RANGE

"METAL POST COVERED BY RESIN"



STEEL

RESIN

EXPANSE



FUMAGALLI POLES TECHNOLOGY




NEBO/TOBIA

30W LED CCT SET Q33.201.Q1K



HIGH POWER LED VERSION



330

2960

Ø275


IP55

NEBO OFIR/TOBIA 2L

30W LED CCT SET Q33.201.R20.Q1K



HIGH POWER LED VERSION



850

3060

Ø275

IP55

SIMON RANGE

LARGE SIZE



HIGH POWER LED VERSION

U33.132.Q1K

E27 HIGH POWER LED

INDOOR & OUTDOOR USE

+80°C
-30°C
90% HUMIDITY
VOLTAGE SURGE RESISTANT

15W (1690 lm)
30W (3620 lm)
50W (6550 lm)

More details at page 78



LARGE SIZE

SIMON RANGE

AVAILABLE COLORS

RESIN BODY



BLACK (A)

WHITE (W)

DIFFUSER



CLEAR (X)

OPAL (Y)

E27 HIGH POWER LED VERSION




15W	30W
1690 lm	3620 lm
100-240V 50/60 Hz	100-240V 50/60 Hz
4000K/3000K	4000K/3000K
100W INCANDESCENT	70W TOBIA HIG-SON

OFIR/SIMON

IP55



15W LED CCT SET	U33.132.R1K
30W LED CCT SET	U33.132.Q1K




HIGH POWER LED VERSION

box: 1pcs

LOT/SIMON

15W LED CCT SET	U33.113.R1K
30W LED CCT SET	U33.113.Q1K

IP55




HIGH POWER LED VERSION

box: 1pcs

SICHEM/SIMON

15W LED CCT SET	U33.121.R1K
30W LED CCT SET	U33.121.Q1K




HIGH POWER LED VERSION

box: 1pcs

MADE IN ITALY



E27 HIGH POWER LED VERSION					
LAMP	POWER	LUMINOUS FLUX UP TO	VOLTAGE RANGE	CCT SETTABLE	COMPARISON
 Ø 100	15W	1690 lm	100-240V 50/60 Hz	4000K/3000K	≈  100W INCANDESCENT
	30W	3620 lm	100-240V 50/60 Hz	4000K/3000K	≈  TOBIA HQI-SOI 70W






IP55

IAFET.R/SIMON (resin)

15W LED	CCT SET	U33.162.R1K
30W LED	CCT SET	U33.162.Q1K



1240

Ø 190


box: 2pcs

HIGH POWER LED VERSION



IP55

ARTU'/SIMON	GIGI/SIMON	RICU/SIMON
15W LED CCT SET U33.158.R1K	15W LED CCT SET U33.156.R1K	15W LED CCT SET U33.157.R1K
30W LED CCT SET U33.158.Q1K	30W LED CCT SET U33.156.Q1K	30W LED CCT SET U33.157.Q1K




330

2000

Ø 245

box: 2pcs




330

2300

Ø 245

box: 2pcs



330

2550


Ø 245

box: 2pcs

HIGH POWER LED VERSION



"METAL POST COVERED BY RESIN"



STEEL

RESIN

EXPANSE

ANTI RUST LIFETIME GUARANTEE NO PAINTING REQUIRED

MADE IN ITALY

ANTI CORROSION

UV-RAYS STABILIZED

NO MAINTENANCE

DOUBLE INSULATION

NOT AFFECTED BY CHEMICAL FERTILIZERS

NEBO/SIMON

30W LED CCT SET U33.201.Q1K




IP55

NEBO OFIR/SIMON 2L

30W LED CCT SET U33.201.R20.Q1K




IP55



330

3000

Ø 275



850

3100

Ø 275

HIGH POWER LED VERSION

HALF LANTERN



NEW CCT SET

6,5W 800 lm 2700 K	8,5W 920 lm 2700 K	11W 1200 lm 2700 K	11W 1200 lm 4000 K	11W 1200 lm 6500 K
--------------------------	--------------------------	--------------------------	--------------------------	--------------------------

More details at page 77

M22.000.F1R

SMART PACK AVAILABLE

SINGLE BOX

cbm: 0,22
Master box: 16 pcs

NEW **SMART PACK ***

- Save 44 % volume
- Film wrapped items
- ECO-friendly packaging

SAVE 44 % VOLUME

cbm: 0,14
Master box: 18 pcs



HALF LANTERNS

AVAILABLE COLORS		E27 CCT LED VERSION		E27 FILAMENT LED	E27 VERSION
RESIN BODY	DIFFUSER	8,5W 920 lm 100-240V 50/60 Hz 2700K/4000K/6500K = 60W INCANDESCENT	11W 1200 lm 100-240V 50/60 Hz 2700K/4000K/6500K = 75W INCANDESCENT	6,5W 800 lm 100-240V 50/60 Hz 2700K = 60W INCANDESCENT	
BLACK (A) WHITE (W)	CLEAR (X) OPAL (Y)				

IP55

6,5W 2700K FILAMENT M22.000.F1R

8,5W CCT SET M22.000.V1K

E27 M22.000.E27

NEW **SMART PACK ***

E27 M23.000.E27

IESSE

Dimensions: 220, 350, 130, 110, 230, 130, 350

Master box: 16pcs

IP55

6,5W 2700K FILAMENT M28.000.F1R

11W CCT SET M28.000.T1K

E27 M28.000.E27

DARIA

Dimensions: 286, 515, 169, 210, 300, 143

MADE IN ITALY

SAURO

CLASSIC BOLLARD



MADE IN ITALY

D15.554.D1KCRB

E27 VERSION



CCT SETTABLE

SDCM <6

3000 K 4000 K 6500 K



SAURO

AVAILABLE COLORS		
RESIN BODY (MOULDED COLOURS)	DIFFUSER	
BLACK (A)	GREY (L)	WHITE (W)
	CLEAR (X)	OPAL (Y)



LED SAURO 1100 E27

LAMP INCLUDED: GX53 LED

10W CCT SET D15.555.D1KCRB

E27 D15.555.E27

150

1100

Ø245

150

1100

Ø245

with white resin louvre FRA

with aluminium chrome louvre FCT

NEW VERSION CCT SETTABLE LAMP

LED E27

LED SAURO 800 E27

LAMP INCLUDED: GX53 LED

10W CCT SET D15.554.D1KCRB

E27 D15.554.E27

150

800

Ø245

150

800

Ø245

with white resin louvre FRA

with aluminium chrome louvre FCT

NEW VERSION CCT SETTABLE LAMP

LED E27

MADE IN ITALY

4

NEWS

20

GARDEN SMALL

32

GARDEN MEDIUM

52

GARDEN LARGE

68

HALF LANTERN

70

BOLLARD

71



BOLLARD LED VERSIONS					
LAMP	POWER	LUMINOUS FLUX (Φ TOTAL)	VOLTAGE RANGE	CCT SETTABLE	
	10W	1290 lm	100-240V 50/60 Hz	6500K/4000K/3000K	100W INCANDESCENT



LED

LAMP INCLUDED:
GX53
LED

10W

CCT SET

D15.553.D1KCRB

E27

D15.553.E27

150
500
Ø 245

150
500
Ø 245

with white resin louvre
FRA

with aluminium chrome louvre
FC1

NEW VERSION
CCT SETTABLE LAMP

LED

E27

LED

LAMP INCLUDED:
GX53
LED

10W

CCT SET

D15.505.D1KCRB

E27

D15.505.E27

520
240

520
240

with white resin louvre
FRA

with aluminium chrome louvre
FC1

NEW VERSION
CCT SETTABLE LAMP

LED

E27



TÜV CERTIFIED LED MODULES





Power surges resistant

- **Wide voltage range (100-240V)** to protect the driver both from voltage droop and voltage overshoot, which are quite frequent in case of outdoor installations.
- **Double 400V capacitors** and multiple resistances to withstand power surges.
- **Silicone paste** to avoid – in case of voltage swings - the vibration of the electronic components of the driver and the consequent risk of components unsoldering.



Heat resistant - Working temperature -30°+80°C

- **Gold wire bonding:** Chips connected by pure gold wires, which are able to withstand at the highest and lowest temperatures and at temperature fluctuations between day and night. The gold wire bonding can grant a lumens maintenance factor > 80%.
- **Silicone paste:** Thermoconductive silicone paste with metal powder inside for helping heat dissipation and avoid overheating problems and for protecting the electronic components in case of high and low temperatures.



Humidity resistant - Weatherproof driver for a longer lifetime

- **Silicone paste:** The driver is fully enclosed in a special silicone paste, which ensures the highest driver protection against moisture and humidity up to 90%, both unavoidable in outdoor installations.



LVD
TESTED

LVD Certificate: Fumagalli lamps fulfil the Low Voltage Directive 2014/35/EU, therefore are CE marked and comply with safety requirements like protection against electrical shock, moisture and heat resistance, resistance to flame and ignition.

EMC
TESTED

EMC Certificate: Fumagalli lamps meet the Electromagnetic Compatibility Directive 2014/30/EU and its amendments.

NEW
ERP

New ERP Attestation of conformity: Fumagalli lamps fulfil the NEW European Ecodesign Directive EU 2019/2020, which sets stricter energy efficiency requirements, new verification tolerances and other factors such as bulb lifetime and warm-up time.

CB
IECEE CB
SCHEME

IECEE CB Certificate: Fumagalli lamps meet the International System for Conformity and Certification of Electrotechnical Equipment allowing direct market access in more than 50 countries all over the world.

RoHS
REACH
COMPLIANT

RoHS REACH compliant: Fumagalli lamps fulfil the RoHS (Restriction of Hazardous Substances) directive 2011/65/EU and its amendments and the REACH regulation (EC) No. 1907/2006, regarding the concentration of Very High Concern Substances (SVHC).




Tested according to :
EN 62560:2012/A1: 2015
IEC/TR 62778:2014
EN 62493:2015





G9LED		
	POWER	1,7 W
	LUMINOUS FLUX (Φ TOTAL)	3000 K 150 lm 4000 K 150 lm
	SIZE & SOCKET	
	VOLTAGE	100-240 V
	FREQUENCY	50/60 Hz
	PSLM (NO FLICKER)	<1
	SVM	0,9
	CRI	> 80
	SDCM	<6
	SWITCHING CYCLE	>40.000
	WARM UP TIME	≤ 0,5"
	LIFETIME	15.000 h
	KELVIN	3000 K 4000 K
	EFFICIENCY CLASS	F
	REF. CODE	H.LED.G09.3K H.LED.G09.4K


GU10 LED - CCT SETTABLE		
	POWER	3,5 W 6 W
	LUMINOUS FLUX (Φ TOTAL)	2700 K 329 lm 4000 K 366 lm 562 lm 615 lm
	SIZE & SOCKET	
	LUMINOUS FLUX (Φ USE 90°)	260 lm 440 lm
	VOLTAGE	100-240 V
	FREQUENCY	50/60 Hz
	DISPLACEMENT FACTOR	>0 >0,5
	PSLM (NO FLICKER)	<1
	SVM	0,4 0,9
	CRI	> 80 > 80
	SDCM	<3 <3
	BEAM ANGLE	43° 45°
	SWITCHING CYCLE	> 25.000 > 25.000
	WARM UP TIME	≤ 0,5"
	LIFETIME	25.000 h 25.000 h
	EFFICIENCY CLASS	F
	REF. CODE	H.LED.GU10.CCT H2.LED.GU10.CCT

E27 LED FILAMENT A60

		POWER		6,5 W	
		LUMINOUS FLUX (Φ TOTAL)	2700 K	800 lm	
		SIZE & SOCKET			
INDOOR & OUTDOOR USE -30 +80 °C90% HUMIDITY VOLTAGE SURGE RESISTANT		TUV SUD CE CB LVD EMC ERP IECEE CB CERTIFICATE SG PSB-LE-03735		VOLTAGE	100-240 V
				FREQUENCY	50/60 Hz
				DISPLACEMENT FACTOR	>0,5
				CRI	> 80
				SWITCHING CYCLE	>100.000
				WARM UP TIME	≤ 0,5"
				LIFETIME	25.000 h
				EFFICIENCY CLASS	E
COMPLY WITH: EU 2019/2015 EU 2019/2020				REF. CODE	H.LED.FIL.3K

E27 LED A60- CCT SETTABLE

		POWER		8,5 W
		LUMINOUS FLUX (Φ TOTAL)		840 lm
				920 lm
				920 lm
		SIZE & SOCKET		
				
				E27
		VOLTAGE		100-240 V
		FREQUENCY		50/60 Hz
		DISPLACEMENT FACTOR		>0,5
		PSTLM (NO FLICKER)		< 1
		SVM		< 0,4
		CRI		> 80
		SDCM		<6
		LIFETIME		25.000 h
		EFFICIENCY CLASS		F
		REF. CODE		H.LED.A60.CCT

CCT SETTABLE	
	
SDCM <5	

ENERGY+	
PROMAGEST S.R.L.	
P.L. 70-80-90-100-110-120-130-140-150-160-170-180-190-200-210-220-230-240-250-260-270-280-290-300-310-320-330-340-350-360-370-380-390-400-410-420-430-440-450-460-470-480-490-500-510-520-530-540-550-560-570-580-590-600-610-620-630-640-650-660-670-680-690-700-710-720-730-740-750-760-770-780-790-800-810-820-830-840-850-860-870-880-890-900-910-920-930-940-950-960-970-980-990-1000	
CE	
LVD	
EMC	
CB	
ERP	


TUV SUD	
SG PSB-LE-03297	

IECEE CB CERTIFICATE	
SG PSB-LE-03297	


INDOOR & OUTDOOR USE	
-30 +80 °C	
90% HUMIDITY	
VOLTAGE SURGE RESISTANT	
	

COMPLY WITH:	
EU 2019/2015	
EU 2019/2020	

E27 LED A60- CCT SETTABLE

	POWER		11 W
	LUMINOUS FLUX (Φ TOTAL)	2700 K	1100 lm
		4000 K	1200 lm
	6500 K	1200 lm	
	SIZE & SOCKET		
		VOLTAGE	100-240 V
		FREQUENCY	50/60 Hz
		DISPLACEMENT FACTOR	>0,7
		PSTLM (NO FLICKER)	< 1
		SVM	< 0,4
		CRI	> 80
		SDCM	<6
		LIFETIME	25.000 h
		EFFICIENCY CLASS	F
		REF. CODE	H2.LED.A60.CCT

CCT SETTABLE	
	2700 K 4000 K 6500 K
SDCM <4	

ENERGY+	
PROMAGAL E.N.L. 100-240V AC	
	
1.1 kWh/100h	

	LVD
	EMC
	ERP

INDOOR & OUTDOOR USE	
-30 +80 °C	90% HUMIDITY
VOLTAGE SURGE RESISTANT	

COMPLY WITH:	
EU 2019/2015	
EU 2019/2020	

IECU CB CERTIFICATE:	
SG PSB-1F-03297	

E27 HIGH POWER LED

NEW



CCT SETTABLE
3000 K 4000 K
SDCM <6

INDOOR & OUTDOOR USE
-30 +80 °C 90% HUMIDITY
VOLTAGE SURGE RESISTANT

ENERGY
FORMALLY 100 W
CLASS A/B/C/D/E/F/G
E
30 kWh/1000h
COMPLY WITH:
EU 2019/2015
EU 2019/2020

CE
CB
LVD
EMC
ERP

IECEE CB CERTIFICATE:
SG P58-LE-03835
SG P58-LE-03834


POWER		15 W	30W
LUMINOUS FLUX (Φ TOTAL)	3000 K	1545 lm	3325lm
	4000 K	1690 lm	3620 lm
SIZE & SOCKET			
		NEW VERSION CCT SETTABLE LAMP	
VOLTAGE		100-240 V	100-240 V
FREQUENCY		50/60 Hz	50/60 Hz
DISPLACEMENT FACTOR		>0,7	>0,9
PSTLM (NO FLICKER)		<1	<1
SVM		0,4	0,4
CRI		> 80	> 80
SWITCHING CYCLE		30.000	30.000
WARM UP TIME		< 0,5"	< 1"
LIFETIME		25.000 h	25.000 h
EFFICIENCY CLASS		F	E
REF. CODE		H3.LED.HIP.CCT	H2.LED.HIP.CCT

NEW VERSION
CCT SETTABLE LAMP


R7s LED 78mm- CCT SETTABLE

SIZE & SOCKET	R7s		POWER		3,5W
			LUMINOUS FLUX (Φ TOTAL)	2700 K	325 lm
4000 K	365 lm				
6500 K	365 lm				
INDOOR & OUTDOOR USE -30 +80 °C 90% HUMIDITY VOLTAGE SURGE RESISTANT ENERGY+ A B C D E F G 4 1 kWh / 1000h LED		CCT SETTABLE		2700 K 4000 K 6500 K	
		VOLTAGE		100-240 V	
		FREQUENCY		50/60 Hz	
		DISPLACEMENT FACTOR		>0	
		PSTLM (NO FLICKER)		<1	
		SVM		0,4	
		CRI		> 80	
		SDCM		<6	
		SWITCHING CYCLE		45.000	
		WARM UP TIME		≤ 0,5"	
		LIFETIME		25.000 h	
		EFFICIENCY CLASS		F	
REF. CODE		H7.LED.R7S.CCT			



R7s LED 118mm- CCT SETTABLE

SIZE & SOCKET	R7s 		POWER	7,5 W
			LUMINOUS FLUX (Φ TOTAL)	680 lm
SILICONE PROTECTION DRIVER INDOOR & OUTDOOR USE 30 +80 °C 90% HUMIDITY VOLTAGE SURGE RESISTANT CE LVD EMC ERP TUV 300	CCT SETTABLE SDCM 4s  ENERG+  8  COMPLY WITH: EU 2019/2015 EU 2019/2020 		2700 K	775 lm
			4000 K	790 lm
			6500 K	100-240 V
				50/60 Hz
				>0,5
				<1
				0,4
				> 80
				<6
				45,000
			≤ 0,5"	
			25,000 h	
			F	
			H8.LED.R7S.CCT	

R7s LED 189mm- CCT SETTABLE

SIZE & SOCKET	 R7s	POWER	10,5 W	
 SILICONE PROTECTION DRIVER INDOOR & OUTDOOR USE -30 +80 °C 90% HUMIDITY VOLTAGE SURGE RESISTANT	 CCT SETTABLE 2700 K 4000 K 6500 K SDCM <4	LUMINOUS FLUX (Φ TOTAL)	2700 K	1000 lm
			4000 K	1130 lm
			6500 K	1160 lm
		VOLTAGE	100-240 V	
		FREQUENCY	50/60 Hz	
 EU ENERGY+ PREMIUM CLASS A B C D E F G 11 kWh/1000h COMPLY WITH: EU 2019/2015 EU 2019/2020	 	DISPLACEMENT FACTOR	>0,7	
		PSTLM (NO FLICKER)	<1	
		SVM	0,4	
		CRI	> 80	
		SDCM	<6	
		SWITCHING CYCLE	45.000	
		WARM UP TIME	≤ 0,5"	
		LIFETIME	25.000 h	
		EFFICIENCY CLASS	F	
		REF. CODE	H9.LED.R7S.CCT	

E27 HIGH POWER LED



		POWER	50 W		60W		
		LUMINOUS FLUX (Φ TOTAL)	3000 K 4000 K	5850 lm 6550 lm		6800 lm 7600 lm	
SIZE & SOCKET							
		VOLTAGE		100-240 V		100-240 V	
		FREQUENCY		50/60 Hz		50/60 Hz	
		DISPLACEMENT FACTOR		>0,9		>0,9	
		PSTLM (NO FLICKER)		<1		<1	
		SVM		0,4		0,4	
		CRI		> 80		> 80	
		SWITCHING CYCLE		30.000		30.000	
		WARM UP TIME		< 1"		< 0,5"	
		LIFETIME		25.000 h		25.000 h	
		KELVIN		3000 K	4000 K	3000 K	4000 K
		EFFICIENCY CLASS		E		E	
		REF. CODE		H.LED.HIP.3K		H4.LED.HIP.4K	

SILICONE PROTECTION DRIVER	
	
INDOOR & OUTDOOR USE	
-30 +80 °C	90% HUMIDITY
VOLTAGE SURGE RESISTANT	
	

ENERGY	
FORMERLY DR KLEB (H4/H2)	
A	
B	
C	
D	
E	
F	
G	
50 kWh/1000h	
	

	LVD
CE	EMC
	ERP
	

COMPLY WITH: EU 2019/2015 EU 2019/2020	
IECEE CB CERTIFICATE: SG PSB-LE-03791 SG PSB-LE-03799	

POWER		50 W		60W		
LUMINOUS FLUX (Φ TOTAL)		3000 K 4000 K	5850 lm 6550 lm		6800 lm 7600 lm	
SIZE & SOCKET						
VOLTAGE		100-240 V		100-240 V		
FREQUENCY		50/60 Hz		50/60 Hz		
DISPLACEMENT FACTOR		>0,9		>0,9		
PSTLM (NO FLICKER)		<1		<1		
SVM		0,4		0,4		
CRI		> 80		> 80		
SWITCHING CYCLE		30.000		30.000		
WARM UP TIME		< 1"		< 0,5"		
LIFETIME		25.000 h		25.000 h		
KELVIN		3000 K	4000 K	3000 K	4000 K	
EFFICIENCY CLASS		E		E		
REF. CODE		H.LED.HIP.3K		H4.LED.HIP.4K		

LOOKING FOR SOMETHING ELSE?

See all our **Top selection brochures 2023!**



TO SEE OUR COMPLETE COLLECTION

Ask for our **NEW General Catalogue 2023**
or visit our website at
www.fumagalli.it



RESIN MATERIAL ADVANTAGES



NO MAINTENANCE



ANTI-CORROSION



DOUBLE INSULATION



NOT AFFECTED BY
CHEMICAL FERTILIZERS



UV-RAY STABILIZED



RECYCLABLE



UV TREATED



DOUBLE
INSULATION



ANTI-SHOCK



TEMPERATURE



ENERGY SAVING



RESIDENTIAL



PUBLIC

HOW TO READ THE CODE

DIFFUSER
IDENTIFIES
THE DIFFUSER

E22

STRUCTURE
IDENTIFIES THE
STRUCTURE ON
WHICH THE DIFFUSER
IS MOUNTED (POLE,
BRACKET, BASE, SPIKE)

156

SYSTEM
IDENTIFIES THE
MULTILIGHT
SYSTEM IF PRESENT

S20

**COLOUR OF THE
STRUCTURE**
IDENTIFIES THE COLOUR
OF THE STRUCTURE
A BLACK
W WHITE
L GREY

A

**COLOUR OF THE
DIFFUSER**
IDENTIFIES THE COLOUR
OF THE DIFFUSER
X CLEAR/FROSTED
Y OPAL
Z SMOKED

X

ELECTRIFICATION
IDENTIFIES THE TYPE OF
ELECTRIFICATION AND
THE EVENTUAL
PRESENCE OF BULBS

F1R



Fumagalli S.r.l.
Via Ca' Bassa, 29
21100 Varese - ITALY
Tel. +39.0332.336353
Fax. +39.0332.336358
Email italian.lux@fumagalli.it



www.fumagalli.it

